


VACUUM PUMPS



KEBIVAK

VACUUM PUMPS

QUALITY & PURITY IS OUR MOTTO



OIL LUBRICATED VACUUM PUMPS

- ▶ Ideal for vacuum packing, vacuum distillation vacuum impregnation and drying
- ▶ **Capacity :** 350 to 4500 lit/min.
Ult. vacuum : 1.5 mm of Hg.



OIL SEALED HIGH VACUUM PUMPS (LABORATORY MODELS, INDUSTRIAL MODELS).

- ▶ Ideal for distillation, drying, bright annealing, evacuation of large systems, impregnation etc. Available in Single and Double stage
- ▶ **Capacity :50 to 10000 lit/min.**
Ult. vacuum :
Up to 0.005 mm of Hg. Double stage
Up to 0.05 mm of Hg. Single stage



DIRECT DRIVE HIGH VACUUM PUMPS

- ▶ Light and compact design with low oil capacity. For evacuation of bulbs. TV-Tubes, transformers and Vacuum system
- ▶ **Capacity :** 50 to 1000 lit/min.
Ult. vacuum : Up to 0.005 mm of Hg.



WATER-RING VACUUM PUMPS DOUBLE STAGE

- ▶ To suit the needs of medium vacuum distillation, evaporation, drying etc., and as recycle compressor.
- ▶ **Capacity :** 30 to 1000 C.F.M.
Ult. vacuum : 720 mm of Hg.



MULTISTAGE BLOWERS

- ▶ Suitable for vacuum lifting, Industrial Vacuum cleaners, pneumatic conveying
- ▶ **Capacity :** 160 C.F.M. To 305 C.F.M.
Max Vacuum : 150 to 350 mbar
Max Pressure : 160 to 365 mbar



TOTALLY DRY TYPE VACUUM PUMPS

- ▶ Applications Filtrations, packing labeling machine pick & place equipments
- ▶ **Capacity :** 50 L.P.M. to 500 L.P.M.
Ult. vacuum : 630 to 700 mm of Hg.



VACUUM -PRESSURE PUMPS

- ▶ Specially designed for the purpose Compact, elegant and low noise pump
- ▶ **Capacity :** 75 L.P.M. to 1000 L.P.M.
Ult. vacuum : 21" Hg. to 28"Hg.
Pressure : 0.7 Kg / Cm²



MONOBLOCK WATER-RING VACUUM PUMPS

- ▶ Compact design. most suited for priming, low-capacity requirements of filtration, distillation etc.,
- ▶ **Capacity :** 10 C.F.M. to 30 C.F.M.
Vacuum : 700 mm of Hg.



WATER-RING VACUUM PUMPS SINGLE STAGE

- ▶ Suitable for Crystallizers, evaporators, dryers, priming, filtration, low vacuum distillation, etc.
- ▶ **Capacity :** 30 C.F.M. to 1200 C.F.M.
Ult. vacuum : 710 mm of Hg.
water jet ejector are also available in 3 HP to 10 HP



REGENERATIVE BLOWERS

- ▶ Available in single and double stage. Use for medical and laboratory equipment, plastic Industries vacuum cleaners, Air pollution monitoring equipment
- ▶ **Capacity :** 24 C.F.M. to 1200 CFM
Ult. vacuum : 60 mbar to 730 mbar
Max.Pressure : 70 mbar to 1040 mbar



DIAPHRAGM VACUUM PUMPS & COMPRESSOR.

- ▶ Applications Laboratories, Labeling Machine, Medical Instrument, Plastic Welding, Spray Painting.
- ▶ **Capacity :** 15 TO 75 L.P.M.
Ult. vacuum : up to 27 Hg.
Max.Pressure : 55 Psig



PISTON DRY VACUUM PUMPS

- ▶ Applications Filtrations, packing labeling machine pick & place equipments
- ▶ **Capacity :** 150 TO 500 L.P.M.
Ult. vacuum : up to 700 mm Hg.



BOOSTER VACUUM SYSTEM

▶ Oil-sealed pump combination Ideal for vacuum furnace, freeze drying, vacuum coating, impregnation, etc.

▶ **Capacity :** 300 to 2500 M³/Hr
Ult. vacuum : Upto 0.001 torr



BOOSTER VACUUM SYSTEM

▶ Water Ring pump combination Ideal for drying, degassing, distillation, crystallising etc.

▶ **Capacity :** 300 to 5500 M³/Hr
Ult. vacuum : Upto 10 torr

K. B. SAWANT ENGINEERING WORKS[®]

Manufactures of Vacuum Pumps, Water-Ring Vacuum Pumps & Deep Freezer Spare-Parts

Office : 37, Jamuna Building, Tungareshwar Ind. Complex No.1, Sativali, Vasai-(E), District : Thane - 401 208

Tel. No. : 0250-2480030, Cell No.: 9820282036,

Website : www.kebivakpumps.com, www.kbsawantengworks.com, Email : kbsawant2003@yahoo.com